GP.Pismere.NO-OVERRIDE

Data collected on: 7/29/2003 1:27:07

Details

 Domain
 WIN.MIT.EDU

 Owner
 WIN\Domain Admins

 Created
 5/4/2001 12:31:46 PM

 Modified
 7/11/2003 4:11:42 PM

 User Revisions
 10 (AD), 10 (sysvol)

 Computer Revisions
 149 (AD), 149 (sysvol)

Unique ID {37E9DA32-C604-46C3-A63A-15F5FE6881F6}

GPO Status User settings disabled

Links

Location	Enforced	Link Status	Path
WIN	No	Disabled	WIN.MIT.EDU
Machines	No	Enabled	WIN.MIT.EDU/Machines
RIS	Yes	Enabled	WIN.MIT.EDU/RIS

This list only includes links in the domain of the GPO.

Security Filtering

The settings in this GPO can only apply to the following groups, users, and computers:

Name

NT AUTHORITY\Authenticated Users

WMI Filtering

WMI Filter Name None

Description Not applicable

Delegation

These groups and users have the specified permission for this GPO

Name	Allowed Permissions	Inherited	
NT AUTHORITY\Authenticated Users	Read (from Security Filtering)	No	
NT AUTHORITY\SYSTEM	Edit settings, delete, modify security	No	
WIN\Domain Admins	Edit settings, delete, modify security	No	
WIN\Enterprise Admins	Edit settings, delete, modify security	No	

Computer Configuration (Enabled)

Software Settings

Assigned Applications

ActivePerl Build 623 (SysDrive)

Product Information

Name ActivePerl Build 623 (SysDrive)

Version 5.6

Language English (United States)

Platform Intel

Support URL http://www.ActiveState.com/

Deployment Information

General	Setting
Deployment type	Assigned
Deployment source	\win.mit.edu\dfs\MSI\Active Perl\ActivePerl-5.6.0.623-MSWin32-x86-m
	thread.msi
Uninstall this application when it falls out of the scope of management	Disabled

Advanced Deployment Op		Setting	
Ignore language when deploy	ing this package	Disabled	
Make this 32-bit X86 application	on available to Win64 machines	Enabled	
Include OLE class and product	t information	Disabled	
Diagnostic Information		Setting	
Product code		{2876c84b-f2d9-40e6-a522-e6	0856519e838}
Deployment Count		0	
Security			
Permissions			
Туре	Name	Permission	Inherited
Allow	WIN\Domain Admins	Full control	No
Allow	NT AUTHORITY\SYSTEM	Full control	No
Allow	NT AUTHORITY\Authenticated Users	Read	No
Allow	WIN\Domain Admins	Read, Write	Yes
	·		
Allow	WIN\Enterprise Admins	Read, Write	Yes
Allow	CREATOR OWNER	Read, Write	Yes
Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow	NT AUTHORITY\Authenticated Users	Read	Yes
Allow inheritable permission child objects	ns from the parent to propagate to this object and all	Enabled	
Advanced			
Upgrades		Setting	
Required upgrade for existing	packages	Enabled	
Packages that this package	will upgrade	GPO	
None Packages in the current GPO t	hat will upgrade this package	None	
None	that will upgrade this package	None	
None Packages in the current GPO t Categories	that will upgrade this package	None	
None Packages in the current GPO t Categories None		None	
None Packages in the current GPO t Categories None Transforms \\win.mit.edu\dfs\MSI\Active	Perl\perlSYSDRIVE.mst	None	
None Packages in the current GPO t Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20)	Perl\perlSYSDRIVE.mst	None	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information	Perl\perlSYSDRIVE.mst		202-09-203
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name	Perl\perlSYSDRIVE.mst	AD Container Management (20	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version	Perl\perlSYSDRIVE.mst	AD Container Management (20	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States)	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform	Perl\perlSYSDRIVE.mst	AD Container Management (20	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States)	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States)	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States)	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States) Intel	002-09-30)
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States) Intel Setting Assigned	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source	Perl\perlSYSDRIVE.mst	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source	Perl\perlSYSDRIVE.mst 102-09-30) In it falls out of the scope of management	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application where	Perl\perlSYSDRIVE.mst 1002-09-30) In it falls out of the scope of management tions	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi Enabled	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application where Advanced Deployment Op Ignore language when deploy	Perl\perlSYSDRIVE.mst 1002-09-30) In it falls out of the scope of management tions	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi Enabled Setting	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application where Advanced Deployment Op Ignore language when deploy	Perl\perlSYSDRIVE.mst 1002-09-30) In it falls out of the scope of management 1tions 1ing this package 1on available to Win64 machines	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi Enabled Setting Disabled	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application where Advanced Deployment Opi Ignore language when deploy Make this 32-bit X86 application Include OLE class and product	Perl\perlSYSDRIVE.mst 1002-09-30) In it falls out of the scope of management 1tions 1ing this package 1on available to Win64 machines	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi Enabled Setting Disabled Enabled Disabled	
None Packages in the current GPO to Categories None Transforms \\win.mit.edu\dfs\MSI\Active Container Management (20) Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application where Advanced Deployment Opi Ignore language when deploy Make this 32-bit X86 application	Perl\perlSYSDRIVE.mst 1002-09-30) In it falls out of the scope of management 1tions 1ing this package 1on available to Win64 machines	AD Container Management (20 1.1 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\MSI\AD Con 2002-09-30.msi Enabled Setting Disabled Enabled	ntainer Management Snap-In\adcontmg

Permissions			
Type	Name	Permission	Inherited
Allow	WIN\Domain Admins	Full control	No
Allow	NT AUTHORITY\SYSTEM	Full control	No
Allow	NT AUTHORITY\Authenticated Users	Read	No
Allow	WIN\Domain Admins	Read, Write	Yes
Allow	•	Read, Write	Yes
	WIN\Enterprise Admins		
Allow	CREATOR OWNER	Read, Write	Yes
Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow Allow inheritable permissi child objects	NT AUTHORITY\Authenticated Users ons from the parent to propagate to this object and all	Read	Yes
Advanced			
Upgrades		Setting	
Required upgrade for existing	ng packages	Enabled	
Packages that this package		GPO	
None None	c apgrade	J. U	
	that will upgrade this package	None	
-	ulat will upgrade ulis package	None	
Categories			
None			
Transforms			
Neme			
None rosoft Windows 2000 Reso	ource Kit		
rosoft Windows 2000 Resorroduct Information Name	ource Kit	Microsoft Windows 2000 Reso	ource Kit
Product Information Name Version	ource Kit	5.0	ource Kit
Product Information Name Version Language	ource Kit	5.0 English (United States)	ource Kit
Product Information Name Version Language Platform	ource Kit	5.0	ource Kit
Product Information Name Version Language	ource Kit	5.0 English (United States)	ource Kit
Product Information Name Version Language Platform Support URL	ource Kit	5.0 English (United States)	ource Kit
Product Information Name Version Language Platform Support URL Deployment Information	purce Kit	5.0 English (United States) Intel	ource Kit
Product Information Name Version Language Platform Support URL Deployment Information General	ource Kit	5.0 English (United States) Intel Setting Assigned	
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type	ource Kit	5.0 English (United States) Intel Setting Assigned	ource Kit rap\msi\Microsoft Windows 2000 Resou
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source	en it falls out of the scope of management	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootsti	
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh	en it falls out of the scope of management	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled	
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application wh	en it falls out of the scope of management ptions	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootsti Kit\w2000rk.msi Disabled Setting	
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deployed	en it falls out of the scope of management ptions bying this package	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootsti Kit\w2000rk.msi Disabled Setting Disabled	
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 application	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootsti Kit\w2000rk.msi Disabled Setting Disabled Enabled	
Product Information Name Version Language Platform Support URL Deployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deployed	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootsti Kit\w2000rk.msi Disabled Setting Disabled	
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 applica Include OLE class and produce	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting Setting	rap\msi\Microsoft Windows 2000 Resou
Product Information Name Version Language Platform Support URL Peployment Information General Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 applica Include OLE class and product Diagnostic Information Product code	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting 4e1f3fcf-b205-427f-b52b-d3	rap\msi\Microsoft Windows 2000 Resou
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 applica Include OLE class and produce	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting Setting	rap\msi\Microsoft Windows 2000 Resou
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deployment 32-bit X86 application application on the control of the c	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting 4e1f3fcf-b205-427f-b52b-d3	rap\msi\Microsoft Windows 2000 Reso
Product Information Name Version Language Platform Support URL Peployment Information General Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 applicat Include OLE class and product Diagnostic Information Product code Deployment Count Gecurity	en it falls out of the scope of management ptions bying this package tion available to Win64 machines	5.0 English (United States) Intel Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting 4e1f3fcf-b205-427f-b52b-d3	rap\msi\Microsoft Windows 2000 Resou
Product Information Name Version Language Platform Support URL Peployment Information General Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 application Include OLE class and product code Deployment Count Deployment Count Gecurity Permissions	en it falls out of the scope of management ptions Dying this package tion available to Win64 machines act information	Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Enabled Disabled Setting Quality 4e1f3fcf-b205-427f-b52b-d10	rap\msi\Microsoft Windows 2000 Resor
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 application include OLE class and product code Deployment Count Diagnostic Information Product code Deployment Count Security Permissions Type	en it falls out of the scope of management ptions Dying this package tion available to Win64 machines act information Name	Setting Assigned \\win.mit.edu\\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting {4e1f3fcf-b205-427f-b52b-d100} Permission	rap\msi\Microsoft Windows 2000 Resort 13bdfb6526c} Inherited
Product Information Name Version Language Platform Support URL Peployment Information General Deployment type Deployment source Uninstall this application wh Advanced Deployment O Ignore language when deplot Make this 32-bit X86 applica Include OLE class and product Diagnostic Information Product code Deployment Count Gecurity Permissions Type Allow	en it falls out of the scope of management ptions Dying this package tion available to Win64 machines act information Name WIN\Domain Admins	Setting Assigned \\win.mit.edu\dfs\ops\bootstr Kit\w2000rk.msi Disabled Setting Disabled Enabled Disabled Setting {4e1f3fcf-b205-427f-b52b-d10 Permission Full control	rap\msi\Microsoft Windows 2000 Resort 13bdfb6526c} Inherited No

Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow	NT AUTHORITY\Authenticated Users	Read	Yes
Allow inheritable permissions from the parent to propagate to this object and alchild objects		Enabled	
dvanced			
Upgrades		Setting	
Required upgrade for existing pack	ages	Enabled	
Packages that this package will u	pgrade	GPO	
None			
Packages in the current GPO that w	vill upgrade this package	None	
Categories			
None			
Transforms			
None			
nere (2002-10-07)			
roduct Information			
Name		Pismere (2002-10-07)	
Version		0.2	
Language		English (United States)	
Platform		Intel	
Support URL			
eployment Information			
General		Setting	
Deployment type		Assigned	
Deployment source		$\win.mit.edu\dfs\ps\bootstrap\msi\Pismere\Archives\pismere-2000 and the contraction of $	
Uninstall this application when it fa	lls out of the scope of management	Enabled	
Advanced Deployment Options	3	Setting	
Ignore language when deploying the	nis package	Disabled	
Make this 32-bit X86 application av	ailable to Win64 machines	Enabled	
Include OLE class and product info	rmation	Disabled	
Diagnostic Information		Setting	
Product code		{5bea9b2f-abfa-47fd-bab8-f6	5ce4129296e}
Deployment Count		0	
ecurity			
Permissions	News	Damaiad	* 1 · · ·
Туре	Name	Permission	Inherited
Allow	WIN\Domain Admins	Full control	No
Allow	NT AUTHORITY\SYSTEM	Full control	No
Allow	NT AUTHORITY\Authenticated Users	Read Write	No
Allow	WIN\Domain Admins	Read, Write	Yes
Allow	WIN\Enterprise Admins	Read, Write	Yes
Allow	CREATOR OWNER	Read, Write	Yes
Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow	NT AUTHORITY\Authenticated Users	Read	Yes
Allow inheritable permissions fro child objects	om the parent to propagate to this object and all	Enabled	

Upgrades		Setting	
Required upgrade for existing page	ckages	Enabled	
Packages that this package will	upgrade	GPO	
None			
Packages in the current GPO that	will upgrade this package	None	
Categories			
None			
Transforms			
None			
dows 2000 Service Pack 3			
roduct Information			
Name		Windows 2000 Service Pack	3
Version		5.0	
Language			
Platform		Intel	
Support URL			
Deployment Information			
General		Setting	
Deployment type		Assigned	
Deployment source		\\win.mit.edu\dfs\msi\Micros	soft Windows 2000 Service Pack 3\i38
		\update.msi	
Uninstall this application when it	falls out of the scope of management	Disabled	
Advanced Denloyment Ontion	ns	Setting	
Advanced Deployment Options			
		Disabled	
Ignore language when deploying	this package	Disabled Enabled	
Ignore language when deploying Make this 32-bit X86 application a	this package available to Win64 machines		
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf	this package available to Win64 machines	Enabled Disabled	
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information	this package available to Win64 machines	Enabled Disabled Setting	
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code	this package available to Win64 machines	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9}	-603665550dd0}
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count	this package available to Win64 machines	Enabled Disabled Setting	-603665550dd0}
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity	this package available to Win64 machines	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9}	-603665550dd0}
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity Permissions	this package available to Win64 machines formation	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1	
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type	this package available to Win64 machines formation Name	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission	Inherited
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny	this package available to Win64 machines formation Name WIN\WinSrv2003.group	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read	Inherited No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny Deny Deny	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read	Inherited No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity Permissions Type Deny Deny Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Read	Inherited No No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity Permissions Type Deny Deny Allow Allow Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Full control	Inherited No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count ecurity Permissions Type Deny Deny Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Read	Inherited No No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity Permissions Type Deny Deny Allow Allow Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Full control	Inherited No No No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count decurity Permissions Type Deny Deny Allow Allow Allow Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Full control Full control	Inherited No No No No No No No
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny Deny Allow Allow Allow Allow Allow	this package available to Win64 machines formation Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Full control Full control Read, Write	Inherited No No No No No No Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Eccurity Permissions Type Deny Deny Allow Allow Allow Allow Allow Allow Allow Allow Allow	Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins WIN\Enterprise Admins	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Read Full control Full control Read, Write Read, Write Read, Write	Inherited No No No No No No Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Decurity Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins WIN\Enterprise Admins CREATOR OWNER	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9} 1 Permission Read Read Read Full control Full control Read, Write Read, Write	Inherited No No No No No Yes Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins WIN\Enterprise Admins CREATOR OWNER NT AUTHORITY\SYSTEM	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Read Full control Full control Read, Write Read, Write	Inherited No No No No No Yes Yes Yes Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Iccurity Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Enterprise Admins CREATOR OWNER NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Read Full control Full control Read, Write Read, Write	Inherited No No No No No Yes Yes Yes Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Enterprise Admins CREATOR OWNER NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Read Full control Full control Read, Write Read, Write	Inherited No No No No No Yes Yes Yes Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Deployment Count Decurity Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins CREATOR OWNER NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Full control Full control Read, Write Read, Write Read, Write Read, Write Read, Write Read Enabled Setting	Inherited No No No No No Yes Yes Yes Yes Yes
Ignore language when deploying Make this 32-bit X86 application a Include OLE class and product inf Diagnostic Information Product code Deployment Count Security Permissions Type Deny Deny Allow	Name WIN\WinSrv2003.group WIN\WinSrv2003.group WIN\WinXPPro.group NT AUTHORITY\Authenticated Users WIN\Domain Admins NT AUTHORITY\SYSTEM WIN\Domain Admins CREATOR OWNER NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM STAUTHORITY\SYSTEM NT AUTHORITY\SYSTEM NT AUTHORITY\SYSTEM NT AUTHORITY\Authenticated Users rom the parent to propagate to this object and all	Enabled Disabled Setting {5d0930a0-1033-433a-8bb9 1 Permission Read Read Read Read Full control Full control Read, Write Read, Write Read, Write Read, Write Read, Write Read, Write Read Bead Enabled	Inherited No No No No No Yes Yes Yes Yes Yes

Categories None

Transforms

None

Windows 2000 Support Tools

Product Information

Name Windows 2000 Support Tools

Version

English (United States) Language

Platform Intel

Support URL

Deployment Information

General Setting Deployment type Assigned

Deployment source $\verb|\win.mit.edu| dfs \o Support| Windows 2000 Support|$

Tools\2000RKST.MSI

Disabled

Uninstall this application when it falls out of the scope of management

Advanced Deployment Options Setting

Ignore language when deploying this package Disabled Make this 32-bit X86 application available to Win64 machines Enabled Include OLE class and product information Disabled

Diagnostic Information Setting

Product code {242365cd-80f2-11d2-989a-00c04f7978a9} 0

Deployment Count

Security

Permissions

Туре	Name	Permission	Inherited
Allow	WIN\Domain Admins	Full control	No
Allow	NT AUTHORITY\SYSTEM	Full control	No
Allow	NT AUTHORITY\Authenticated Users	Read	No
Allow	WIN\Domain Admins	Read, Write	Yes
Allow	WIN\Enterprise Admins	Read, Write	Yes
Allow	CREATOR OWNER	Read, Write	Yes
Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow	NT AUTHORITY\Authenticated Users	Read	Yes

Allow inheritable permissions from the parent to propagate to this object and all Enabled

child objects

Advanced

Upgrades	Setting	
Required upgrade for existing packages	Enabled	
Packages that this package will upgrade	GPO	
None		

Packages in the current GPO that will upgrade this package None

Categories

None

Transforms

None

Windows XP Service Pack 1

Product Information

7/16/2009 1:55 PM 6 of 10

Name		Windows XP Service Pack 1	
Version		5.1	
Language			
Platform		Intel	
Support URL			
Deployment Information			
General		Setting	
Deployment type		Assigned \\win.mit.edu\dfs\msi\Microsoft Windows XP Service Pack 1\update	
Deployment source			
Uninstall this application when it falls out of the scope of management		Disabled	
Advanced Deployment Options Ignore language when deploying this package Make this 32-bit X86 application available to Win64 machines		Setting	
		Disabled	
• • • • • • • • • • • • • • • • • • • •		Enabled	
Include OLE class and product info	ormation	Enabled	
Diagnostic Information		Setting	
Product code		{5d0930a0-1033-433a-8bb9	9-603665550dd1}
Deployment Count		0	
Security			
Permissions Type	Name	Permission	Inherited
Deny	WIN\Win2K.group	Read	No
Deny	WIN\WinSrv2003.group	Read	No
Allow	NT AUTHORITY\Authenticated Users	Read	No
Allow	WIN\Domain Admins	Full control	No
Allow	NT AUTHORITY\SYSTEM	Full control	No
Allow	WIN\Domain Admins	Read, Write	Yes
Allow	WIN\Enterprise Admins	Read, Write	Yes
Allow	CREATOR OWNER	Read, Write	Yes
Allow	NT AUTHORITY\SYSTEM	Read, Write	Yes
Allow	NT AUTHORITY\Authenticated Users	Read	Yes
Allow inheritable permissions fr child objects	rom the parent to propagate to this object and all	Enabled	
Advanced			
Upgrades		Setting	
Required upgrade for existing pac	kages	Enabled	
Packages that this package will	upgrade	GPO	
None			
Packages in the current GPO that	will upgrade this package	None	
Categories			
None			
Transforms			
None			
ws Settings			
ots			
Startup			
Name		Parameters	
	tional\scripts\machine\startup\startup.wsf		
\\win.mit.eau\ars\ops\auto\opera			
	tional\scripts\common\ie6sp1deploy.pl		

Name	.,, ., ., ., .,	Parameters	
\\win.mit.edu\dfs\ops\auto\operational\sci urity Settings	ripts\machine\shutdown\shutdown.wsf		
account Policies/Password Policy			
Policy		Setting	
Minimum password length		0 characters	
Password must meet complexity requirement	ents	Disabled	
Store passwords using reversible encryption		Disabled	
account Policies/Account Lockout Policy			
Policy		Setting	
Account lockout threshold		0 invalid logon attempts	
account Policies/Kerberos Policy			
Policy		Setting	
Enforce user logon restrictions		Enabled	
Maximum lifetime for service ticket		600 minutes	
Maximum lifetime for user ticket		10 hours	
Maximum lifetime for user ticket renewal		7 days	
Maximum tolerance for computer clock syr	nchronization	5 minutes	
ocal Policies/Security Options			
Interactive Logon			
Policy		Setting	
Interactive logon: Do not display last user	name	Enabled	
	Hume	Litablea	
Network Security			
Policy		Setting	
Network security: Force logoff when logon	hours expire	Disabled	
) a selation .			
Registry			
MACHINE\SOFTWARE\MIT\Pismere\R	ootPass		
MACHINE\SOFTWARE\MIT\Pismere\R			
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita	able permissions to all subkeys		
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner		Permission	Apply To
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions	able permissions to all subkeys	Permission Full control	
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type	able permissions to all subkeys Name		
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow	Name BUILTIN\Administrators	Full control	This key and subkeys Subkeys only
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins	Full control Full control Full control	This key and subkeys Subkeys only This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow Allow Allow Allow Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users	Full control Full control Full control Read	This key and subkeys Subkeys only This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users	Full control Full control Full control Read Set Value, Create Subkey, Delete	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow Allow Allow Allow Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read	This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inheritation Owner Permissions Type Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM BUILTIN\Users	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read permissions	This key and subkey Subkeys only This key and subkey This key and subkey This key and subkey This key and subkey
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inheritation Owner Permissions Type Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM BUILTIN\Users	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read permissions	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inherita Owner Permissions Type Allow Allo	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM BUILTIN\Users parent to propagate to this object and all	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read permissions	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inheritation Owner Permissions Type Allow	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM BUILTIN\Users parent to propagate to this object and all	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read permissions	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys This key and subkeys
MACHINE\SOFTWARE\MIT\Pismere\R Configure this key then: Propagate inheritation Owner Permissions Type Allow Configure this key then: Propagate inheritation Auditing	Name BUILTIN\Administrators CREATOR OWNER WIN\Domain Admins BUILTIN\Power Users BUILTIN\Power Users NT AUTHORITY\SYSTEM BUILTIN\Users parent to propagate to this object and all	Full control Full control Full control Read Set Value, Create Subkey, Delete Full control Enumerate Subkeys, Notify, Read permissions	This key and subkeys Subkeys only This key and subkeys This key and subkeys This key and subkeys This key and subkeys

	Allow NT AUTHORITY\Authenticated Users Allow Everyone	Read Read	This key and subkey This key and subkey
	Allow inheritable permissions from the parent to propagate to this object and all	l Enabled	
	child objects		
	Auditing No auditing specified		
ninis	trative Templates		
Net	work/DNS Client		
	Policy	Setting	
	Primary DNS Suffix Enter a primary DNS suffix:	Enabled mit.edu	
		micedu	
Syst	em/Group Policy		
	Policy	Setting	
	Folder Redirection policy processing	Enabled	
	Allow processing across a slow network connection Process even if the Group Policy objects have not changed	Disabled Enabled	
	1 rocess even if the Group Folicy objects have not changed	Litabica	
	Policy	Setting	
	Registry policy processing	Enabled	
	Do not apply during periodic background processing Process even if the Group Policy objects have not changed	Disabled Enabled	
	Process even in the group Policy objects have not changed	Lilabied	
	Policy	Setting	
	Scripts policy processing	Enabled	
	Allow processing across a slow network connection	Enabled	
	Do not apply during periodic background processing Process even if the Group Policy objects have not changed	Disabled Enabled	
	Trocas even if the group rolley objects have not arranged	Endored	
	Policy	Setting	
	Security policy processing	Enabled	
	Do not apply during periodic background processing Process even if the Group Policy objects have not changed	Disabled Enabled	
	Trocas even if the group rolley objects have not alranged	Litubica	
	Policy	Setting	
	Software Installation policy processing	Enabled	
	Allow processing across a slow network connection Process even if the Group Policy objects have not changed	Disabled Enabled	
	riocess even in the Group Policy objects have not changed	Lilabieu	
Syst	em/Scripts		
	Policy	Setting	
	Run logon scripts synchronously	Enabled	
Syst	em/User Profiles		
	Policy	Setting	
	Do not check for user ownership of Roaming Profile Folders	Enabled	
Extr	a Registry Settings		
	Display names for some settings cannot be found. You might be able to resolve the	is issue by updating the .ADM file	es used by Group Policy Managem
	Setting	State	
	$Software\Microsoft\Windows\CurrentVersion\Internet\ Settings\Zone\Map\Domains\Mit.edu\win*$	2	
	System\CurrentControlSet\Control\Lsa\Kerberos\Domains\ATHENA.MIT.EDU \KdcNames	Unknown data format	
	System\CurrentControlSet\Control\Lsa\Kerberos\Domains\ATHENA.MIT.EDU \KpasswdNames	Unknown data format	

ser Configuration (Disabled) No settings defined.	
\Domain\LogonScript	\logonbefore.wsf
System\CurrentControlSet\Services\TransarcAFSDaemon\NetworkProvider	wscript.exe \\win.mit.edu\dfs\ops\auto\operational\scripts\user\logon
\Domain\ATHENA.MIT.EDU\Authenticate	
System\CurrentControlSet\Services\TransarcAFSDaemon\NetworkProvider	1
\Authenticate	
System\CurrentControlSet\Services\TransarcAFSDaemon\NetworkProvider	1